

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6473863".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:29
S1	2	"5896499".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 10:29
S2	2	ep-965902-\$ did.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 17:15
S3	361	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:55
S4	993	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S5	1303	S3 or S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:56
S6	149457	(determin\$3 or monitor\$3 or detect\$3) with (fail\$3 or intrud\$3 or violation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S7	20760	S6 and ((switch\$3 or activat\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:18

EAST Search History

S8	30	S7 and (http with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S9	278	S7 and (http with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S10	230	S9 and (signal or "control signal")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S11	230	S10 and (https or "http-s")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:06
S12	4	S11 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 09:58
S13	4495	709/223-225,230.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S14	16	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:03
S15	18	S12 or S14	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05

EAST Search History

S16	17978	S6 and ((swap\$4 or switch\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S17	23	S16 and (http with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:05
S18	23	S17 and (https or "http-s")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:06
S19	41	S18 or S15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S20	5631	S5 or S13	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S21	149537	(determin\$3 or monitor\$3 or detect\$3) with (fail\$3 or intrusion or intruder)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:17
S22	21000	S21 and ((switch\$3 or activat\$3) with (mode or secur\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:18
S23	144	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:22

EAST Search History

S24	44	S23 and http	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 10:28
S25	23	S22 and (revert\$3 with ("non-secure" or nonsecure\$1 or "non-secured") with mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:23
S26	12	S25 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:24
S27	361	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S28	993	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S29	1303	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S30	4495	709/223-225,230.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52
S31	5631	S29 or S30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:52

EAST Search History

S32	654626	(revert\$3 or operat\$3) with (normal or nonsecure\$1 or "non-secure" or basic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S33	1017	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:53
S34	659	S33 and (intrus\$3 or fail\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S35	458	S34 and mode	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S36	105859	(mode) with (normal or nonsecure\$1 or "non-secure" or basic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:54
S37	122	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:55
S38	275742	(correct\$3) with (fail\$3 or error)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 08:55
S39	41	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:01

EAST Search History

S40	0	S39 and (secure with (normal or nonsecure\$1 or "nonsecure" or "nonsecured"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:02
S41	13	S34 and (secure with (normal or nonsecure\$1 or "nonsecure" or "nonsecured"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 09:02
S42	2	"6473863".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:24
S43	411667	(detect\$3 or determin\$3 or trigger\$3) with (error or intrusion or failure or fault)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:34
S44	1	S43 and (switch\$3 or convert\$3) with (http with (http adj1 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:36
S45	7	S43 and ((switch\$3 or convert\$3) with (unsecur\$2 with secure) with (protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:50
S46	4	S45 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:36
S47	7277	switch with network with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:43

EAST Search History

S48	1149	S47 and (http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:43
S49	403	S48 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:44
S50	36	S49 and ((http adj1 s) or (secur\$2 with http))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:46
S51	5	(failure or error or intrusion) with (trigger\$3 or caus\$3) with (enhanc\$2 or upgrad\$3) with (security)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:48
S52	0	S51 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:47
S53	3	(failure or error or intrusion) with (trigger\$3 or caus\$3) with (enhanc\$2 or upgrad\$3) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:48
S54	4017	S43 and ((switch\$3 or convert\$3) with (mode) with (transmission or protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:50
S55	385	713/150-152.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51

EAST Search History

S56	1030	726/2,11-14,22-25,27-29.ccls. and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51
S57	1361	S55 or S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:51
S58	1	S54 and S57	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:06
S59	60159	(monitor\$3 with (error or intrusion or failure))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:06
S60	32379	S59 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14
S61	3	S60 and (http and (http adj2 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14
S62	6	(alternat\$3) with (http and (http adj2 s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:44
S63	0	S62 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:14

EAST Search History

S64	59	(failure or error) with (caus\$3 or trigger) with (secur\$4) with (protocol or mode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:45
S65	16	S64 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S66	34848	(us\$3 with http)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:51
S67	34848	S66 and (us\$3 with (https or http-s))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S68	5428	S67 and ((determin\$3 or detect\$3) with (error or failure or intrusion))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 15:52
S69	1057	S68 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:12
S70	133	S69 and (monitor\$3 with (path or link))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:51
S71	617	(error or failure or intrusion or intruder) with (caus\$3 or trigger\$3 or mak\$3) with (protocol or network) with (change or updat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:53

EAST Search History

S72	245	S71 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 16:53
S73	242	S72 and (network or lan or wan or internet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:09
S74	190	(non adj2 secur\$2) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:11
S75	24	S74 and ((convert\$3 or switch\$3) with (secur\$2 with protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:12
S76	9	S75 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:16
S77	4	(failure or error or intrusion) with (activat\$3) with (https or http-s or (secur\$3 adj1 protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 17:19
S78	1988	((switch\$3 or chang\$3) with (first or ((non or "not") adj2 secur\$2) with protocol) with ((second or secur\$3) with protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:43
S79	820	S78 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:44

EAST Search History

S80	444	S79 and (failure or error or intrusion)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:45
S82	1	S80 and (first and (("not" or non adj2 secur\$2))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:46
S83	16688	(error or fault or failure or intruder or intrusion) with (caus\$3 or activat\$3 or switch\$3) with (protocol or mode or http\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:44
S84	9787	S83 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:58
S85	3481	S84 and (network or lan or wan or internet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:05
S86	847	S85 and (network with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:01
S87	1	S86 and (http adj2 s)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:02
S88	471	S85 and (monitor\$3 with (link or path or route))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:45

EAST Search History

S89	0	(switch\$3 or convert\$3) with (unsecure with secure) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:13
S90	10	(switch\$3 or convert\$3) with (unsecure\$1 with secure\$1) with (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:14
S91	4	S90 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:14
S92	1	(detect\$3 with (intrud\$3) with (upgrad\$3) with (security or protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:04
S93	2219	(error or fault or failure or intruder or intrusion) with (switch\$3) with (port)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:44
S94	1078	S93 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:45
S95	203	S94 and (monitor\$3 with (link or path or route))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:57
S96	1138	(switch\$3 or swap\$4 or chang\$3) with (protocol) with (error or fault or intrusion or intruder)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:57

EAST Search History

S97	508	S96 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15
S98	195	intrusion with (increas\$3 or upgrad\$3) with (security)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15
S99	34	S98 and @ad<"20001122"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:15

Set	Items	Description
S1	3785750	ERROR? ? OR PROBLEM? ? OR FAULT? ? OR FAILURE? ? OR BUG? ?
S2	209631	INTRUD??? OR INTRUS??? OR HACK??? OR DISTURB???? OR DISRUPT??? OR (HOSTILE OR MALICIOUS) () (CODE OR LOGIC) OR (LOGIC OR - TIME) () BOMB OR TROJAN()HORSE? ? OR VIRUS OR VIRUSES OR WORM? ? OR TRAP()DOOR()PROGRAM? ? OR COMPUTER(3N)MISUSE? ?
S3	4000616	SWITCH??? OR REVERT??? OR REVERS??? OR CHANG??? OR SHIFT??? OR CONVERT??? OR CONVERS???
S4	2932	NONSECUR??? OR HTTP OR (HYPERTEXT OR HYPER()TEXT) () TRANSFER() PROTOCOL
S5	797249	SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPERTEXT OR HYPER()TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(X) HTTP
S6	14	(S1 OR S2) AND S3 AND S4 AND S5
S7	7	S6 NOT (AD=(19991122:20021122) OR AD=(20021123:20060512))
S8	77	((HTTP OR (HYPERTEXT OR HYPER()TEXT) () TRANSFER() PROTOCOL) - AND (SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPERTEXT OR HYPER()TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(X) HTTP)) NOT (S6 OR AD=(19991122:20021122) OR AD=(20021123:20060512))
S9	2	AU=((JARDIN C? OR JARDIN, C?) AND (VARSANYI E? OR VARSANYI, E?) AND (DUCLOS P? OR DUCLOS, P?) AND (PADUA V? OR PADUA, V?))
S10	0	(AU=((JARDIN C? OR JARDIN, C?) OR (VARSANYI E? OR VARSANYI, E?) OR (DUCLOS P? OR DUCLOS, P?) OR (PADUA V? OR PADUA, V?)) AND HTTP) NOT (AD=(19991122:20021122) OR AD=(20021123:20060512))
? show files		
File 347:JAPIO Dec 1976-2005/Dec (Updated 060404)		
(c) 2006 JPO & JAPIO		
File 350:Derwent WPIX 1963-2006/UD,UM &UP=200630		
(c) 2006 Thomson Derwent		
?		

Set	Items	Description
S1	3785750	ERROR? ? OR PROBLEM? ? OR FAULT? ? OR FAILURE? ? OR BUG? ?
S2	209631	INTRUD??? OR INTRUS??? OR HACK??? OR DISTURB???? OR DISRUP- T??? OR (HOSTILE OR MALICIOUS) () (CODE OR LOGIC) OR (LOGIC OR - TIME) () BOMB OR TROJAN()HORSE? ? OR VIRUS OR VIRUSES OR WORM? ? OR TRAP()DOOR()PROGRAM? ? OR COMPUTER(3N)MISUSE? ?
S3	2932	NONSECUR??? OR HTTP OR (HYPERTEXT OR HYPER()TEXT) () TRANSFE- R() PROTOCOL
S4	797249	SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPER- TEXT OR HYPER()TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(X-) HTTP
S5	17	((S1 OR S2) AND S3 AND S4 AND (IC=(H04L) OR MC=T01 OR MC=W- 01)) NOT (AD=(19991122:20021122) OR AD=(20021123:20060512))

? show files

File 347:JAPIO Dec 1976-2005/Dec (Updated 060404)
(c) 2006 JPO & JAPIO

File 350:Derwent WPIX 1963-2006/UD,UM &UP=200630
(c) 2006 Thomson Derwent

?

Set	Items	Description
S1	7684231	ERROR? ? OR PROBLEM? ? OR FAULT? ? OR FAILURE? ? OR BUG? ?
S2	1706272	INTRUD??? OR INTRUS??? OR HACK??? OR DISTURB??? OR DISRUPT??? OR (HOSTILE OR MALICIOUS) () (CODE OR LOGIC) OR (LOGIC OR - TIME) () BOMB OR TROJAN() HORSE? ? OR VIRUS OR VIRUSES OR WORM? ? OR TRAP() DOOR() PROGRAM? ? OR COMPUTER(3N) MISUSE? ?
S3	9405853	SWITCH??? OR REVERT??? OR REVERS??? OR CHANG??? OR SHIFT??? OR CONVERT??? OR CONVERS???
S4	629364	NONSECUR??? OR HTTP OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL
S5	1541866	SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(X) HTTP
S6	3905	(S1 OR S2) AND S3 AND S4 AND S5 AND (PY<2000 OR PD<1999112-2)
S7	34477	(HTTP OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL) AND (SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(-X) HTTP) AND (PY<2000 OR PD<19991122)
S8	3898	S7 AND (S1 OR S2) AND S3
S9	0	S8 AND ((HTTP OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL) AND (SECUR??? OR PRIVATE OR HTTPS OR HTTP(X)S OR SSL OR (HYPERTEXT OR HYPER() TEXT) () TRANSFER() PROTOCOL(X) SECURE OR SECURED(X) HTTP)) /TI
S10	41	S8 AND ((ENCRYPT??? OR CIPHER??? OR CYpher??? OR ENCIPHER??-?? OR ENCPYHER??? OR SCRAMBL???) (10N) S3)
S11	41	RD (unique items)
S12	0	AU=(JARDIN C? OR JARDIN, C? OR VARSANYI E? OR VARSANYI, E? OR DUCLOS P? OR DUCLOS, P? OR PADUA V? OR PADUA, V?) AND HTTP AND (PD<19991122 OR PY<2000)
? show files		
File	2:INSPEC 1898-2006/Apr W5	(c) 2006 Institution of Electrical Engineers
File	6:NTIS 1964-2006/Apr W5	(c) 2006 NTIS, Intl Cpyrgh All Rights Res
File	8:Ei Compendex(R) 1970-2006/Apr W5	(c) 2006 Elsevier Eng. Info. Inc.
File	34:SciSearch(R) Cited Ref Sci 1990-2006/May W1	(c) 2006 Inst for Sci Info
File	35:Dissertation Abs Online 1861-2006/Apr	(c) 2006 ProQuest Info&Learning
File	56:Computer and Information Systems Abstracts 1966-2006/Apr	(c) 2006 CSA.
File	57:Electronics & Communications Abstracts 1966-2006/Apr	(c) 2006 CSA.
File	60:ANTE: Abstracts in New Tech & Engineer 1966-2006/Apr	(c) 2006 CSA.
File	65:Inside Conferences 1993-2006/May 12	(c) 2006 BLDSC all rts. reserv.
File	94:JICST-EPlus 1985-2006/Feb W1	(c) 2006 Japan Science and Tech Corp (JST)
File	95:TEME-Technology & Management 1989-2006/May W1	(c) 2006 FIZ TECHNIK
File	99:Wilson Appl. Sci & Tech Abs 1983-2006/Apr	(c) 2006 The HW Wilson Co.
File	111:TGG Natl. Newspaper Index(SM) 1979-2006/May 04	(c) 2006 The Gale Group
File	144:Pascal 1973-2006/Apr W3	(c) 2006 INIST/CNRS
File	434:SciSearch(R) Cited Ref Sci 1974-1989/Dec	(c) 1998 Inst for Sci Info

File 636:Gale Group Newsletter DB(TM) 1987-2006/May 11

(c) 2006 The Gale Group

?